



RIGHT OF WAY/ROAD APPROACH PERMIT APPLICATION

SITE AND PROJECT DATA

Check which is applicable: _____ Right of Way _____ Road Approach
_____ Temporary Access

Description of Work: _____

Date of Project: _____

Job Site Address: _____ No. of Bldgs. on site: _____

Parcel Number: _____ Property size: _____

Plat/Development: _____ Lot Number: _____

Property Owner: _____

Mailing address: _____

Email Address: _____ Phone number: _____

Applicant: _____

Address: _____

Phone number: _____ Cell number: _____

E-mail address: _____ Fax number: _____

Contact Person: _____ Phone Number: _____

Contractor: _____

Address: _____

Phone No. _____ Contractor License # _____

Insurance Company: _____ Policy Number: _____

Requirements and Conditions:

- A working drawing or plan showing work to be done shall be submitted showing dimensions to the right of way lines. (All working drawings or plans are subject to approval from the Public Works Director or his designee.)
- Provide the City with a Certificate of Insurance in the amount of \$1,000,000.00 with the City of Bonney Lake listed as the additional name insured and a Street Restoration Bond in the amount of \$5,000.00.
- A traffic control plan may be required dependent upon the location of the work being performed.
- All trenches shall have a backfill of not less than 36 inches (depth to the top of the line or pipe) and sufficient compaction so the finished surface conforms with the original surface. All trenches across driveways shall be backfilled and compacted according to the State Standard Specifications unless a variance is approved by the Public Works Director.
- No pavement cuts across streets, roads, or driveways constructed of asphalt concrete or Portland cement, unless approval has been granted by the Public Works Director for such crossing, and all pavement cuts shall be made by sawing.
- Backfill of trenches across driveways or roadways shall be mechanically tamped in layers not more than 6 inches in depth. Trenches shall be backfilled with gravel base if material removed is not suitable for replacement. Excess excavated material shall be disposed of by applicant.
- Property owners and/or residents along this project shall have the right of safe egress at all times.
- At no time during construction will any roadway be entirely closed. One way traffic shall be maintained at all times unless an approved, signed detour route is established. All traffic control shall comply with the M.U.T.C.D.
- Crushed rock shall be placed on the shoulder of the roadway as directed by the Public Works Director.
- A temporary patch of cold mix asphalt shall be placed and maintained on road crossings and driveways by the applicant after backfilling until a permanent patch can be placed.
- Permanent patching shall be done by the permittee.
- Any underground work shall require notification by the applicant to prevent damage to underground installations such as Gas, Power, Telephone, Cable, T.V., Water, and Sewer.
- No work in the Right of Way shall be done under this permit until the party or parties to whom it is granted have communicated with and received instruction from the City of Bonney Lake.