


VERTICAL CURB & GUTTER, SEE DETAIL S10

SANITARY SEWER LINE SOUTH AND/OR WEST SIDE OF STREET UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER

WATERLINE ON NORTH AND/OR EAST SIDE OF STREET UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER

SIDEWALK, SEE DETAIL S8



MIN. PAVEMENT SECTION
SECTION A
 NO SCALE

NOTES:

1. THE PAVEMENT SECTION DEPTHS SHOWN IN SECTION A ARE MINIMUM REQUIRED DEPTHS. UNLESS OTHERWISE APPROVED, A PAVEMENT DESIGN BY A PROFESSIONAL ENGINEER LICENSED IN THE STATE OF WASHINGTON IS REQUIRED TO SHOW THAT THE MINIMUM PAVEMENT SECTION IS ADEQUATE FOR EACH SPECIFIC USE. THE CITY ENGINEER MAY REQUIRE AN ALTERNATE PAVEMENT SECTION IF LOCAL CONDITIONS WARRANT.
2. TYPICAL RIGHT-OF-WAY IMPROVEMENTS ARE SHOWN IN THE CROSS-SECTION. FINAL CROSS-SECTION IMPROVEMENTS INCLUDING BUT NOT LIMITED TO LANES, LANDSCAPE PLANTER STRIP REQUIREMENTS, SIDEWALK WIDTHS, TREE GRATES, AND STREET TREES SHALL BE DETERMINED BY THE CITY ENGINEER.

Approved:  March 16, 2018
 City Engineer Date
STREET STANDARD DETAIL



Dwg No: **S1**
PRINCIPAL ARTERIAL STREET SECTION